

2014

Betsy: A Case Study of a Client with Down's Syndrome and Dementia

Cheryl D. Schlamb

West Chester University of Pennsylvania, cschlamb@wcupa.edu

Christine D. Moriconi

West Chester University of Pennsylvania, cmoriconi@wcupa.edu

Follow this and additional works at: http://digitalcommons.wcupa.edu/nurs_facpub



Part of the [Geriatric Nursing Commons](#)

Recommended Citation

Schlamb, C. D., & Moriconi, C. D. (2014). Betsy: A Case Study of a Client with Down's Syndrome and Dementia. *Advancing Care Excellence for Seniors* <http://dx.doi.org/http://www.nln.org/facultyprograms/facultyresources/aces/Betsy/betsy.pdf>

This Article is brought to you for free and open access by the Nursing at Digital Commons @ West Chester University. It has been accepted for inclusion in Nursing Faculty Publications by an authorized administrator of Digital Commons @ West Chester University. For more information, please contact wccressler@wcupa.edu.

OVERVIEW OF TEACHING STRATEGY

This case study is about an aging woman experiencing Down's Syndrome (DS) and dementia. People with Down's Syndrome are living longer than ever before. Since the 1980s their life expectancy has doubled and many now live into their 60s, most likely because of advances in medical treatment and improved living conditions.

Patients with DS and dementia typically experience several residential relocations during their lifetime and these may be traumatic events for these individuals. This study explores the complex needs of aging clients with intellectual disabilities. Target students for this teaching strategy have completed medical-surgical or geriatric nursing.

LEARNING OBJECTIVES

The student will:

- Perform physical, functional, and social assessment on the older adult with Down's Syndrome and dementia and recognize pertinent assessment findings.
- Utilize "Try This: Monitoring Functional Status in Hospitalized Older Adults." (see below in Materials)
- Utilize "Try This: Predicting Pressure Ulcer Risk Using the Braden Scale with Hospitalized Older Adults: The Evidence Supports It." (see below in Materials)
- Use therapeutic communication to address the unique needs of the client with Down's and dementia.
- Identify family needs and expectations related to disease progression and the support needed for caregivers now and in the future.
- Address issues of advanced directives and durable power of attorney with patient and family.

Aces Essential Knowledge Domains

- Individualized Aging
- Vulnerability During Life Transitions
- Complexity of Care

Aces Essential Nursing Actions

- Assess Function and Expectations
- Coordinate and Manage Care
- Make Situational Decisions

NLN Competencies for Nursing Education

- Nursing Judgment
- Human Flourishing
- Spirit of Inquiry

GETTING STARTED

Read and discuss Betsy's case study [Click here to read the Betsy case study](#), focusing on the following questions*:

1. What are your concerns about this patient?
2. What is the cause of the concern?
3. What information do you need?
4. What are you going to do about it?
5. What is the patient experiencing?

* from Benner, P, Sutphen, M, Leonard, V & Day, L. 2010. Educating Nurses: A Call for Radical Transformation. Jossey-Bass. p133.

Student reflection discussing concerns about Betsy, what information they need, what Betsy is experiencing, and how they plan to care for Betsy. Consider these questions when initiating this reflection:

Social/Family Issues

What happens to elderly clients with DS? How do we help families?

- Parents die and aging siblings become responsible for care of their sibling with DS.
- Siblings may incur increased financial burden when caring for a sibling with DS, and these health care costs only increase as the sibling with DS ages.
- Who makes long-term health care decisions for clients with DS?
- Who is the most appropriate professional health care provider to assist with this decision?
- Should there be an interdisciplinary approach to assist the family with planning care for Betsy with DS and Alzheimer's disease?

Long-term Care Issues

Students should discuss with faculty potential options (below) and the pros and cons of each:

1. Aging in place – supports people where they are, in their homes.
2. In place progression – developing a dementia specialty program that is provided in the residential facility.
3. Refer person to generic health – related facility for extended care.

- What is the best living situation for Betsy? Betsy is no longer responsive to Alzheimer's medications because they have not slowed her cognitive decline. She has been living at the same residential placement for the past 20 years. She is no longer able to leave the facility (with ease). The unskilled workers at the residential facility may not be the most able health care providers for complex care required by Betsy. End-of-life care issues may overwhelm the residential facility staff. Betsy's siblings and family are divided about moving her to another long-term care facility, nursing home, or into a hospice care center because she is used to her surroundings and caregivers. On the other hand, family is unsure of how aware is Betsy to her surroundings and her caregivers.
- Betsy's family remains supportive and three of Betsy's siblings visit on either a weekly or bi-weekly basis. The family is conflicted related to her placement and will need support in making this decision.
- Family conferences were held twice during the past year. Betsy met criteria for hospice and hospice providers came into the facility and set up program for her skin care and other hospice needs.
- The residential facility where Betsy lives is closing but the agency will continue to operate two cottages open for aging women with DS. Younger clients with DS will be moved to homes into the *Parish Community*. This new model allows eight DS clients to live in a residential home within the *Parish Community* with house parents. The house parents will speak for the needs of the DS clients to their *Parish Community*. The *Parish Community* will become responsible to meet the ongoing needs of the younger DS clients.

Priority Health Care and Nursing Care Issues

What are Betsy's priority health care and nursing issues?

Physical priority concerns include aspiration pneumonia, nutritional issues, immobility and the potential for falls and fractures, immobility-related pain of undetermined origin, and ongoing management of seizures and high blood pressure.

Suggested questions to consider explore:

- Does the health care team need to differentiate between palliative and hospice care?

- How does Betsy's family feel about hospice or palliative care? Are there any religious or cultural factors influencing their decision making?
- What are the economic ramifications of this determination (palliative care vs. hospice) for the DS client?
- Most DS client care is paid for by state and federal funding. How will care be affected by new health care programs?
- What is the optimal standard of care provided to clients with DS and general public?
- Have there been standards of care established for the aging client with DS?
- Are there current recommendations for when Alzheimer's screening and disease management begin for the DS client?
- Will early recognition of Alzheimer symptoms and prompt treatment with medication provide a better quality of life, postponing negative progression of Alzheimer disease? (UCLA, Kentucky and CN studies on DS web site.)

Legal-Ethical issues

Advanced directives are written instructions regarding what actions an individual wants if they are unable to make decisions for themselves. In the case study, Betsy's brother is identified as her medical and legal guardian. Ask the students to write their own advanced directives as an exercise to help raise their consciousness about quality-of-life issues and what measures they may want to sustain life in the face of illness or incapacity. This exercise can lead to a discussion of the legal and ethical decision making for Betsy.

MATERIALS

[Consult GeriRN.org](#). The website of the Hartford Institute for Geriatric Nursing at New York University's College of Nursing contains many evidence-based assessment tools. Those listed below from the Try This[®] and How to Try This Series[®] are recommended for an assessment of Betsy.

The tool, an article about using the tool, and a video illustrating the use of the tool, are all available for your use. The SPICES tool is listed first, since it is an overall assessment tool; the remaining tools are listed in alphabetical order.

[Click here](#) to go to [ConsultGeriRN.org](#) and the *Try This*[®] and *How to Try This*[®] resources.

Please review:

General Assessment Series:

- [Try This - SPICES: An Overall Assessment Tool of Older Adults](#)

- [Try This - Katz Index of Independence in Activities of Daily Living \(ADL\)](#)
- [Try This - Predicting Pressure Ulcer Risk](#)
- [Try This - How To Try This \(Video\) - The Hendrich II Fall Risk Assessment](#)
- [How To Try This \(Article\) - Monitoring Functional Status in Hospitalized Older Adults](#)
- [How To Try This \(Video\) - The Braden Scale](#)

SUGGESTED READINGS

References

- Antaki, C., Finlay, W., Walton, C., & Pate, L. (2008). Offering choices to people with intellectual disabilities: an interactional study. *Journal Of Intellectual Disability Research: JIDR*, 52(12), 1165-1175.
- Ball, S., Holland, A., Treppner, P., Watson, P., & Huppert, F. (2008). Executive dysfunction and its association with personality and behaviour changes in the development of Alzheimer's disease in adults with Down syndrome and mild to moderate learning disabilities. *British Journal Of Clinical Psychology*, 47(Part 1), 1-29
- Benner, P., Sutphen, M., Leonard-Kahn, V., & Day, L. (2008). Formation and everyday ethical comportment. *American Journal Of Critical Care*, 17(5), 473-476.
- Blackman, N. (2008). The development of an assessment tool for the bereavement needs of people with learning disabilities. *British Journal Of Learning Disabilities*, 36(3), 165-170.
- Blackman, N. (2007). People with learning disabilities -- an ageing population. *Journal Of Adult Protection*, 9(3), 3-8.
- Blair, J. (2011). Care adjustments for people with learning disabilities in hospitals. *Nursing Management - UK*, 18(8), 21-24.
- Chaput, J. L. (2002). Adults with Down Syndrome and Alzheimer's Disease: Comparison of Services Received in Group Homes and in Special Care Units. *Journal Of Gerontological Social Work*, 38(1/2), 197-211.
- Hirst, S. (2013). Victoria has a developmental disability. *Journal Of Gerontological Nursing*, 39(3), 3-4. doi:10.3928/00989134-20130130-05
Case Study of Victoria Elderly Client with DS
http://www.healio.com/~media/Journals/JGN/2013/3_March/10_3928_00989134_20130130_05/10_3928_00989134_20130130_05.pdf
- Janicki, M. P. (2011). Quality outcomes in group home dementia care for adults with intellectual disabilities. *Journal Of Intellectual Disability Research*, 55(8), 763-776. doi:10.1111/j.1365-2788.2011.01424.x

- Janicki, M. (1998). Down's syndrome and Dementia (Book). *Journal Of Intellectual Disability Research*, 42(6), 513.
- Katz, S. (2006). Early intervention programme for infants with Down's syndrome, *British Journal of Nursing*, 9(8), 486-492.
- Maaskant, M., Gevers, J., Wierda, H. (2002). Mortality and life expectancy in Dutch residential centres for individuals with intellectual disability, 1991-1995. *Journal of Applied Research in Intellectual Disabilities*, 15, 200-212.
- National Office for Alzheimer Association www.Alz.org
- Patti, P., Amble, K., & Flory, M. (2010). Placement, relocation and end of life issues in aging adults with and without Down's syndrome: a retrospective study. *Journal Of Intellectual Disability Research*, 54(Part 6), 538-546
- Post, S. (2002). Down syndrome and Alzheimer disease: defining a new ethical horizon in dual diagnosis. *Alzheimer's Care Quarterly*, 3(3), 215-224.
- Roizen, N., Patterson, D. (2003). Down's syndrome. *The Lancet*. 361, 1281-89.
- Ryan, B., Carey, E. (2008). Introducing person-centered planning: a case study. *Learning and Disability Practice*, 11(9), 12-20.
- Service, K., & Hahn, J. (2003). Issues in aging: the role of the nurse in the care of older people with intellectual and developmental disabilities. *Nursing Clinics Of North America*, 38(2), 291-312.
- Shoumitro, D., Hare, M., Prior, L., Sabyasachi, B. (2007). Dementia screening questionnaire for individuals with intellectual disabilities. *British Journal of Psychiatry*, 190, 440-444.
- Soliman, A., & Hawkins, D. (1998). Learning disabilities. The link between Down's syndrome and Alzheimer's disease: 1. *British Journal Of Nursing*, 7(13), 779-784.
- Soliman, A., & Hawkins, D. (1998). Clinical. The link between Down's syndrome and Alzheimer's disease: 2. *British Journal Of Nursing*, 7(14), 847-850.
- Strax, T.E., Luciano, L., Dunn, A.M., & Quevedo, J.P. (2010). Aging and developmental disability. *Physical Medicine and Rehabilitation Clinics of North America*, 21, 419- 427. doi:10.1016/j.pmr.2009.12.009
- Watchman, K. (2005). Practitioner-raised issues and end-of-life care for adults with Down syndrome and dementia. *Journal of Policy & Practice In Intellectual Disabilities*, 2(2), 156-162.

Whitwham, S., McBrien, J., & Broom, W. (2011). Should we refer for a dementia assessment? A checklist to help know when to be concerned about dementia in adults with Down syndrome and other intellectual disabilities. *British Journal Of Learning Disabilities*, 39(1), 17-21.

AUTHOR INFORMATION

- Cheryl D. Schlamb DNP, RN, CRNP; RN – BSN Program Coordinator; Assistant Professor; West Chester University of PA; cschlamb@wcupa.edu
- Christine D. Moriconi PsyD, RNC, LMFT; Assistant Professor; West Chester University of PA; cmoriconi@wcupa.edu